



CorePro Glass LED bulbs



CorePro LEDBulbND 7-60W E27 A60 827FR G

CorePro, LEDbulb, A60, 60 W, E27, 2700 K, 806 lm, CRI 80, 15000 hour(s), Glass

CorePro, LEDbulb, A60, 60 W, E27, 2700 K, 806 lm, CRI 80, 15000 hour(s), Glass, 115.00 lm/W, EEL E, PF 0.51, Beam angle 300 degree(s), RG1, IP20, SVM 0.4, PstLM 1

Product data


General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	30,000
Lighting Technology	LEDbulb
Flux measurement reference	Sphere
Warranty period	2 years
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	300 degree(s)
Luminous Flux	806 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	115.00 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Photobiological safety according to EN 62471	RG1
Operating and Electrical	
Line Frequency	50 to 60 Hz
Input Frequency	50 to 60 Hz
Power Consumption	7 W
Lamp Current (Nom)	60 mA
Wattage Equivalent	60 W
Starting Time (Nom)	0.5 s
Warm-up time to 60% light	0.5 s
Power Factor (Fraction)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	50 °C
Controls and Dimming	
Dimmable	No


CorePro Glass LED bulbs

Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Glass
Bulb Shape	A60
Net Weight (Piece)	0.030 kg
Approval and Application	
Energy Efficiency Class	E
Energy Consumption kWh/1000 h	7 kWh
EPREL Registration Number	1825136
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 to +45 °C

Dimensional drawing




Photometric data



Spectral Power Distribution Colour - CorePro LEDBulbND 7-60W E27 A60 827FR G

Application Conditions	
can it be used in closed luminaires	No
Wireless Technology	Not applicable
Product Data	
Order product name	CorePro LEDBulbND 7-60W E27 A60 827FR G
Full product name	CorePro LEDBulbND 7-60W E27 A60 827FR G
Full product code	871951436124900
Order code	929001243002
Material Nr. (12NC)	929001243002
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8719514361249
Numerator - Packs per outer box	10
EAN/UPC - Case	8719514361256


Product	D	C
CorePro LEDBulbND 7-60W E27 A60 827FR G	60 mm	110 mm



Light Distribution Diagram - CorePro LEDBulbND 7-60W E27 A60 827FR G



CorePro Glass LED bulbs

Photometric data



General uniform lighting - CorePro LEDBulbND 7-60W E27 A60 827FR G

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDBulbND 7-60W E27 A60 827FR G

