



CorePro Plastic LED bulbs



CorePro LEDbulb ND 8-60W A60 E27 827 SKT

CorePro, LEDbulb, A60, 60 W, E27, 2700 K, 806 lm, CRI 80, 15000 hour(s), Plastic

CorePro, LEDbulb, A60, 60 W, E27, 2700 K, 806 lm, CRI 80, 15000 hour(s), Plastic, 100 lm/W, EEL F, PF 0.54, Beam angle 180 degree(s), RG0, IP20, SVM 0.4, PstLM 1

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LEDbulb
Flux measurement reference	Sphere
Warranty period	2 years
Light Technical	
Color Code	827 [CCT of 2700K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	806 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	100 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %


Photobiological safety according to EN 62471		RG0
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	8 W	
Lamp Current (Nom)	46 mA	
Wattage Equivalent	60 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.54	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	75 °C	
Controls and Dimming		
Dimmable	No	

CorePro Plastic LED bulbs

Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A60
Net Weight (Piece)	0.029 kg
Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	8 kWh
EPREL Registration Number	397611
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 °C to 45 °C



Application Conditions	
can it be used in closed luminaires	No
Wireless Technology	Not applicable
Product Data	
Order product name	CorePro LEDbulb ND 8-60W A60 E27 827 SKT
Full product name	CorePro LEDbulb ND 8-60W A60 E27 827 SKT
Full product code	872016916927200
Order code	929002306274
Material Nr. (12NC)	929002306274
Numerator - Quantity Per Pack	10
EAN/UPC - Product/Case	8720169169272
Numerator - Packs per outer box	2
EAN/UPC - Case	8720169169289

Dimensional drawing



Product	D	C
CorePro LEDbulb ND 8-60W A60 E27 827 SKT	60 mm	108 mm

Photometric data




Spectral Power Distribution Colour - CorePro LEDbulb ND 8-60W A60 E27 827 SKT

General uniform lighting - CorePro LEDbulb ND 8-60W A60 E27 827 SKT


CorePro Plastic LED bulbs

Photometric data




Light Distribution Diagram - CorePro LEDbulb ND 8-60W A60 E27 827 SKT

Lifetime



Lumen Maintenance Diagram - CorePro LEDbulb ND 8-60W A60 E27 827 SKT



Life Expectancy Diagram

