



CorePro Plastic LED bulbs

CorePro LEDbulb ND 10-75W A60 E27 865

CorePro, LEDbulb, A60, 75 W, E27, 6500 K, 1055 lm, CRI 80, 15000 hour(s), Plastic

CorePro, LEDbulb, A60, 75 W, E27, 6500 K, 1055 lm, CRI 80, 15000 hour(s), Plastic, 105 lm/W, EEL F, PF 0.54, Beam angle 180 degree(s), RG0, IP20, SVM 0.4, PstLM 1

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LEDbulb
Flux measurement reference	Sphere
Warranty period	2 years
Light Technical	
Color Code	865 [CCT of 6500K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	1,055 lm
Color Designation	Cool Daylight
Correlated Color Temperature (Nom)	6500 K
Luminous Efficacy (rated) (Nom)	105 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %


Photobiological safety according to EN 62471		RG0
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	10 W	
Lamp Current (Nom)	90 mA	
Wattage Equivalent	75 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.54	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	85 °C	
Controls and Dimming		
Dimmable	No	

CorePro Plastic LED bulbs

Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A60
Net Weight (Piece)	0.034 kg
Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	10 kWh
EPREL Registration Number	696292
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 °C to 45 °C


Application Conditions	
can it be used in closed luminaires	No
Wireless Technology	Not applicable
Product Data	
Order product name	CorePro LEDbulb ND 10-75W A60 E27 865
Full product name	CorePro LEDbulb ND 10-75W A60 E27 865
Full product code	872016916923400
Order code	929002306708
Material Nr. (12NC)	929002306708
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169169234
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169169241

Dimensional drawing




Product	D	C
CorePro LEDbulb ND 10-75W A60 E27 865	60 mm	108 mm

Photometric data




Light Distribution Diagram - CorePro LEDbulb ND 10-75W A60 E27 865



Spectral Power Distribution Colour - CorePro LEDbulb ND 10-75W A60 E27 865

CorePro Plastic LED bulbs


Photometric data




General uniform lighting - CorePro LEDbulb ND 10-75W A60 E27 865

General uniform lighting - CorePro LEDbulb ND 10-75W A60 E27 865

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram - CorePro LEDbulb ND 10-75W A60 E27 865

