



Classic filament LEDbulbs

LED classic 120W A67 E27 CW FR NDRF1SRT4

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	13-120W

Light technical	
Color Code	840 [CCT of 4000K]
Luminous Flux (Nom)	2000 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	153.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	13 W

Lamp Current (Nom)	120 mA
Wattage Equivalent	120 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.51
Voltage (Nom)	220-240 V

Temperature	
T-Case Maximum (Nom)	60 °C

Controls and dimming	
Dimmable	No

Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A67 [A 67mm]


Approval and application	
Energy Efficiency Class	D
Energy Consumption kWh/1000 h	13 kWh

Classic filament LEDbulbs

EPREL Registration Number	374903
Product data	
Full product code	871869976453100
Order product name	LED classic 120W A67 E27 CW FR NDRF1SRT4
EAN/UPC - Product	8718699764531
Order code	929002371901

Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929002371901
Net Weight (Piece)	0.034 kg


Dimensional drawing




LED classic 120W A67 E27 CW FR NDRF1SRT4

Product	D	C
LED classic 120W A67 E27 CW FR NDRF1SRT4	70 mm	121 mm


Photometric data



LEDbulb 13W A67 E27 840 FR



LEDbulb A67 E27 2000lm CL



LEDbulb 13W A67 E27 840 CL

Classic filament LEDbulbs

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

