



Classic filament LEDbulbs

LED classic 200W A95 E27 WW FR ND 1PF

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

Product data

General information	
Cap-Base	E27 [E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Technical Type	23-200W
Flux measurement reference	Sphere
Light technical	
Color Code	827 [CCT of 2700K]
Luminous Flux (Nom)	3452 lm
Color Designation	Warm White (WW)
Correlated Color Temperature (Nom)	2700 K
Luminous Efficacy (rated) (Nom)	150.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz


Power (Nom)	23 W
Lamp Current (Nom)	200 mA
Wattage Equivalent	200 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.51
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	55 °C
Controls and dimming	
Dimmable	No
Mechanical and housing	
Bulb Finish	Frosted
Bulb Shape	A95 [A 95mm]
Approval and application	
Energy Efficiency Class	D

Classic filament LEDbulbs

Energy Consumption kWh/1000 h	23 kWh
EPREL Registration Number	374908
Product data	
Full product code	871869976463000
Order product name	LED classic 200W A95 E27 WW FR ND 1PF
EAN/UPC - Product	8718699764630

Order code	929002372901
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	929002372901
Net Weight (Piece)	0.104 kg


Dimensional drawing




LED classic 200W A95 E27 WW FR ND 1PF

Product	D	C
LED classic 200W A95 E27 WW FR ND 1PF	95 mm	165 mm


Photometric data



LEDbulb 13W A67 E27 827 CL



LEDbulb A95 E27 3452lm FR



LEDbulb 23W A95 E27 827 FR

Classic filament LEDbulbs

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

