



Trueforce Core LED SON-T



TForce Core LED road 40W 740 E40 MV

The new Philips Trueforce Core LED SON-T lamps offer you an easy, short-payback LED solution to replace High Intensity Discharge (HID) lamps. This new generation of products brings all the energy-efficiency and long-lifetime benefits of LED to HID replacement, while providing instant saving with a low initial investment. Furthermore, they're designed to have the same lamp size and light distribution as other HID lamps, so you will never know the difference. All thanks to our High-Power LED filament technology. Plus, its unique IP65 design means it can be used for outdoor applications.

Product data

General information	
Cap-Base	E40 [E40]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	25000 h
Switching Cycle	15000X
Flux measurement reference	Sphere
Light technical	
Color Code	740 [CCT of 4000K]
Luminous Flux (Nom)	7500 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	187.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	70
LLMF At End Of Nominal Lifetime (Nom)	70 %
LLMI At LING OF NORMAL EFFERMINE (NOM)	70 70

Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	40 W
Lamp Current (Nom)	178 mA
Wattage Equivalent	100 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.9
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	58 °C
Controls and dimming	
Dimmable	No


Datasheet, 2022, February 11 data subject to change

Trueforce Core LED SON-T

Mechanical and housing		
Bulb Finish	Clear	
Bulb Shape	T-shape	
Approval and application		
Energy Efficiency Class	В	
Energy Consumption kWh/1000 h	40 kWh	
EPREL Registration Number	574360	
Product data		
Full product code	871951431635500	

Order product name	TForce Core LED road 40W 740 E40 MV
EAN/UPC - Product	8719514316355
Order code	929002485302
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	6
Material Nr. (12NC)	929002485302
Net Weight (Piece)	0.157 kg


Dimensional drawing




TForce Core LED road 40W 740 E40 MV

Product D C TForce Core LED road 40W 740 E40 MV 46 mm 225 mm

Photometric data




LEDTForce Core road 40W Tshape E40-LDD



LEDTForce Core road 40W Tshape E40 740-GUL


Trueforce Core LED SON-T


Photometric data



LEDTForce Core road 40W Tshape E40 740-POC

Lifetime





LEDspots LED 25K

LEDspots LMP 25K



© 2022 Signify Holding All rights reserved. Signify does not give any representation or warranty as to the accuracy or completeness of the information included herein and shall not be liable for any action in reliance thereon. The information presented in this document is not intended as any commercial offer and does not form part of any quotation or contract, unless otherwise agreed by Signify. Philips and the Philips Shield Emblem are registered trademarks of Koninklijke Philips N.V.