



# Classic filament LEDbulbs

## LED double layers 20W E27 smoky DIM

Featuring a classic heritage design, Classic filament LEDbulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long lasting LED technology. They deliver beautiful, decorative warm-white light while saving around 90% on energy costs compared with traditional light bulbs.

### Product data

General information	
Cap-Base	E27 [ E27]
EU RoHS compliant	Yes
Nominal Lifetime (Nom)	15000 h
Switching Cycle	20000X
Light technical	
Color Code	818 [ CCT of 1800K]
Luminous Flux (Nom)	200 lm
Color Designation	1800
Correlated Color Temperature (Nom)	1800 K
Luminous Efficacy (rated) (Nom)	30.00 lm/W
Color Consistency	<6
Color Rendering Index (Nom)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and electrical	
Input Frequency	50 to 60 Hz
Power (Nom)	6.5 W
Lamp Current (Nom)	40 mA

Wattage Equivalent	20 W
Starting Time (Nom)	0.5 s
Warm Up Time to 60% Light (Nom)	0.5 s
Power Factor (Nom)	0.7
Voltage (Nom)	220-240 V
Temperature	
T-Case Maximum (Nom)	30 °C
Controls and dimming	
Dimmable	Yes
Mechanical and housing	
Bulb Finish	smoky
Bulb Shape	Double layers
Approval and application	
Energy Consumption kWh/1000 h	7 kWh


# Classic filament LEDbulbs

## Product data

Full product code	871951431372900
Order product name	LED double layers 20W E27 smoky DIM
EAN/UPC - Product	8719514313729
Order code	929002982301
Numerator - Quantity Per Pack	1

Numerator - Packs per outer box	2
Material Nr. (12NC)	929002982301
Net Weight (Piece)	0.632 kg


## Dimensional drawing




LED double layers 20W E27 smoky DIM

Product	D	C
LED double layers 20W E27 smoky DIM	202 mm	293 mm


## Photometric data



LEDbulb SLR 6,5W DL E27 818 Smoky-POC



LEDbulb SLR 6,5W DL E27 818 Smoky-GUL



LEDbulb SLR DL 6,5W E27 818 Smoky-LDD

# Classic filament LEDbulbs

## Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram

