



# MASTER LEDspot ExpertColor AR111



## MAS ExpertColor 10.8-50W 927 AR111 24D

MASTER LEDspot LV ExpertColor creates a warm and comfortable ambience for hospitality venues, homes and restaurants. It creates such an ambience with superior lighting that has a customized spectrum, high CRI, and deep dimming feature. The result? A beautiful lighting experience. What's more, the innovative, trimless lens design will suit almost any interior decor with its clean and neat look. In addition, you can take advantage of the full ExpertColor family, which also includes LEDspot MV and LEDspot Par lamps.


### Product data

General Information		Luminous Flux in 90° Cone (Rated)	
Cap-Base	G53 [G53]	600 lumen	
Nominal lifetime	40,000 hour(s)	Operating and Electrical	
Switching Cycle	50,000	Line Frequency	50 to 60 Hz
Lighting Technology	LED	Input Frequency	50 to 60 Hz
Flux measurement reference	Narrow Cone	Power Consumption	10.8 W
Light Technical		Lamp Current (Nom)	1,000 mA
Color Code	927 [CCT of 2700K]	Wattage Equivalent	50 W
Beam Angle (Nom)	24 degree(s)	Starting Time (Nom)	0.5 s
Luminous Flux	600 lumen	Warm-up time to 60% light	0.5 s
Luminous Intensity (Nom)	3,000 cd	Power Factor (Fraction)	0.7
Color Designation	Warm White (WW)	Voltage (Nom)	ac electronic 12 V
Correlated Color Temperature (Nom)	2700 K	Temperature	
Luminous Efficacy (rated) (Nom)	55 lm/W	T-Case Maximum (Nom)	70 °C
Color Consistency	<4		
Color rendering index (CRI)	95		
LLMF At End Of Nominal Lifetime (Nom)	70 %		




# MASTER LEDspot ExpertColor AR111

## Photometric data




Spectral Power Distribution Colour - MAS ExpertColor 10.8-50W 927 AR111 24D

## Lifetime



Life Expectancy Diagram - MAS ExpertColor 10.8-50W 927 AR111 24D



Lumen Maintenance Diagram - MAS ExpertColor 10.8-50W 927 AR111 24D

