



CorePro Plastic LED bulbs



CorePro LEDbulb ND 4.9-40W A60 E27 840

CorePro, LEDbulb, A60, 40 W, E27, 4000 K, 470 lm, CRI 80, 15000 hour(s), Plastic

CorePro, LEDbulb, A60, 40 W, E27, 4000 K, 470 lm, CRI 80, 15000 hour(s), Plastic, 95 lm/W, EEL F, PF 0.54, Beam angle 180 degree(s), RGO, IP20, SVM 0.4, PstLM 1

Product data

General Information	
Cap-Base	E27
Nominal lifetime	15,000 hour(s)
Switching Cycle	50,000
Lighting Technology	LEDbulb
Flux measurement reference	Sphere
Warranty period	2 years
Light Technical	
Color Code	840 [CCT of 4000K]
Beam Angle (Nom)	180 degree(s)
Luminous Flux	470 lm
Color Designation	Cool White (CW)
Correlated Color Temperature (Nom)	4000 K
Luminous Efficacy (rated) (Nom)	95 lm/W
Color Consistency	<6
Color rendering index (CRI)	80
LLMF At End Of Nominal Lifetime (Nom)	70 %


Photobiological safety according to EN 62471		RGO
Operating and Electrical		
Line Frequency	50 to 60 Hz	
Input Frequency	50 to 60 Hz	
Power Consumption	4.9 W	
Lamp Current (Nom)	45 mA	
Wattage Equivalent	40 W	
Starting Time (Nom)	0.5 s	
Warm-up time to 60% light	0.5 s	
Power Factor (Fraction)	0.54	
Voltage (Nom)	220-240 V	
Temperature		
T-Case Maximum (Nom)	75 °C	
Controls and Dimming		
Dimmable	No	

CorePro Plastic LED bulbs

Mechanical and Housing	
Bulb Finish	Frosted
Bulb Material	Plastic
Bulb Shape	A60
Net Weight (Piece)	0.030 kg
Approval and Application	
Energy Efficiency Class	F
Energy Consumption kWh/1000 h	5 kWh
EPREL Registration Number	1227623
CE mark	Yes
EU RoHS compliant	Yes
EyeComfort	Yes
Flickering value (PstLM) - Flickering value as per EN 61000-3-3	1
Stroboscopic effect visibility measure (SVM)	0.4
Ambient temperature range	-20 °C to 45 °C


Application Conditions	
can it be used in closed luminaires	No
Wireless Technology	Not applicable
Product Data	
Order product name	CorePro LEDbulb ND 4.9-40W A60 E27 840
Full product name	CorePro LEDbulb ND 4.9-40W A60 E27 840
Full product code	872016916903600
Order code	929003564108
Material Nr. (12NC)	929003564108
Numerator - Quantity Per Pack	1
EAN/UPC - Product/Case	8720169169036
Numerator - Packs per outer box	10
EAN/UPC - Case	8720169169043

Dimensional drawing




Product	D	C
CorePro LEDbulb ND 4.9-40W A60 E27 840	60 mm	108 mm

Photometric data




Light Distribution Diagram - CorePro LEDbulb ND 4.9-40W A60 E27 840



Spectral Power Distribution Colour - CorePro LEDbulb ND 4.9-40W A60 E27 840


CorePro Plastic LED bulbs

Photometric data



General uniform lighting - CorePro LEDbulb ND 4.9-40W A60 E27 840

Lifetime



Life Expectancy Diagram

Lumen Maintenance Diagram - CorePro LEDbulb ND 4.9-40W A60 E27 840

