

DULUX L BL UVA 24 W/78

OSRAM BLUE | Lamps



Areas of application

- Polymerization of blue-sensitive plastics, adhesives, paints and dyes (BLUE)
- Curing plastics (BLUE UVA)
- Sealing surfaces in dentistry (BLUE UVA)
- Cosmetic finger nail treatments (BLUE UVA)
- Insect traps (BLUE UVA)
- Exposure during printed circuit board manufacturing (BLUE UVA)
- Terrariums (BLUE UVA)
- Scientific investigations (BLUE UVA)
- Verification of banknotes and credit cards (using a black glass filter) (BLUE UVA)







Product datasheet

Technical data

Electrical data

Nominal wattage	24.00 W
-----------------	---------

Photometrical data

Radiated power 315400 nm (UVA)	5 3 W
Radiated power 313400 mm (OVA)	J.J W

Dimensions & weight



Diameter	18.0 mm
Length	317.0 mm

Additional product data

Country specific categorizations

Order reference	DUL L BL UVA 24
-----------------	-----------------

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899037984	DULUX L BL UVA 24 W/78	Folding carton box 1	46 mm x 27 mm x 347 mm	0.43 dm ³	98.00 g
4052899037991	DULUX L BL UVA 24 W/78	Shipping carton box 10	136 mm x 103 mm x 361 mm	5.06 dm ³	1053.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.