
# **JГU**NGSRAM<sup>™</sup>

Innovation is our heritage EST. 1896








DWE Q650PAR36/1 120V 41667

## Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- · High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- · Colour blends with halogen and fluorescent

#### Application areas





### Product data

Product Code	41667
Bulb Shape	PAR
Bulb Finish	Aluminized
Bulb Diameter [mm]	114.3
Maximum Overall Length [mm]	70
Net weight per piece [g]	230
Gross weight per piece [g]	255
Brand	GE Lighting
Cap/Base	Screw terminal

#### Performance data

Nominal center beam candlepower (CBCP) [cd]24000Rated Lumens [lm]7400Weighted energy consumption [WWb (1000h]680.0	Nominal/ Rated Beam Angle [°]	21
	Nominal center beam candlepower (CBCP) [cd]	24000
Waighted anorgy consumption [JW/h/1000h]	Rated Lumens [lm]	7400
weighted energy consumption [kwh/1000h] 689.0	Weighted energy consumption [kWh/1000h]	689.0
Useful lumens (at 90° cone) [lm] 7400	Useful lumens (at 90° cone) [lm]	7400
Energy efficiency class (EEC) D	Energy efficiency class (EEC)	D
Rated Life [h] 100	Rated Life [h]	100
Nominal correlated colour temperature (CCT) [K]] 3200		
Nominal lumens [lm] 1	Nominal lumens [lm]	1

#### **Electrical data**

Rated power [W]	650.0
Coil type	CC-6
Ballast Required	Yes
Nominal power [W]	650.0
Nominal lamp voltage [V]	120

#### Logistic data

DUN Code	00043168416672
EAN Code	0043168416672
Pack Quantity	12
Layer quantity	1 UK
Layer quantity UK	1
Pallet quantity UK (PC)	1200
Outer case size	226 x 211 x 313 (mm)
Product status	Available

#### Downloads & Links

Go to the catalog site (HTTP) Lighting design tools & calculators (HTTP) Entertainment Pocket brochure (PDF) High-res images / Technical drawings (HTTP) Certificate for the Quality Management System of GE Lighting EMEA (PDF) Certificate for the Environmental Management System of GE Lighting EMEA (PDF)

#### Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.



Tungsram is a registered trademark of Tungsram Operations Kft.

tungsram.com

We in Tungsram Operations Kft. are constantly developing and improving our products. For this reason, all product descriptions in this catalogue are intended as a general guide, and we may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this publication present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, Tungsram cannot accept any liability arising from the reliance on such data to the extent permitted by law.