



32
kWh/1000h

D
energy class

PAR 36
4515 6.4V
93076721

Product information

PAR lamps provide a robust and flexible design solution for a wide range of applications. Choice of PAR36, PAR46, PAR56 or PAR64

- 3000 K or 4200 K colour temperature
- Choice of beam widths
- Excellent colour rendering
- High efficiency combined with low operating costs
- Robust and reliable
- UV control
- Easy retrofit
- Colour consistent throughout life
- Colour blends with halogen and fluorescent

Application areas



Club and Disco



Product data

Light Center Length [mm]	41.27
Product Code	93076721
Bulb Shape	PAR
Bulb Diameter [mm]	114
Maximum Overall Length [mm]	70
Net weight per piece [g]	437
Gross weight per piece [g]	546
Brand	GE Lighting
Cap/Base	Screw terminal

Performance data

Nominal/ Rated Beam Angle [°]	15
Nominal center beam candlepower (CBCP) [cd]	55000
Rated Lumens [lm]	210
Weighted energy consumption [kWh/1000h]	31.8
Useful lumens (at 90° cone) [lm]	210
Energy efficiency class (EEC)	D

Electrical data

Rated power [W]	30.0
Lamp Current [A]	4.69
Coil type	C-6
Dimming Capability	Yes
Ballast Required	Yes
Nominal power [W]	30.0
Nominal lamp voltage [V]	6

Logistic data

DUN Code	10064894582155
EAN Code	0064894582158
Pack Quantity	12
Layer quantity	240 UK
Layer quantity UK	240
Pallet quantity EUR (PC)	1520
Pallet quantity UK (PC)	1200
Outer case size	95 x 95 x 98 (mm)
Product status	Available

Downloads & Links

[Go to the catalog site \(HTTP\)](#)

[Entertainment Solution Spectrum Catalogue \(PDF\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Lighting design tools & calculators \(HTTP\)](#)

[Entertainment Pocket brochure \(PDF\)](#)

[High-res images / Technical drawings \(HTTP\)](#)

[Certificate for the Quality Management System of GE Lighting EMEA \(PDF\)](#)

[Certificate for the Environmental Management System of GE Lighting EMEA \(PDF\)](#)

Disclaimer

Special purpose lamp – Stage Studio. Not suitable for household illumination.