TUNGSRAM

Innovation is our heritage EST. 1896





Single Ended Halogen Q24MT32/CL 240V 93106382

Product information

Quartz lamps designed for optimum performance in today's precision range of stage, studio and architectural luminaires. Full range up to 24,000 W -Range of bases to meet the needs of OEMs - Chromised seal protection up to 500° C.

Application areas









Single Ended Halogen Q24MT32/CL 240V 93106382

Product data

Product Code	93106382
Light Center Length [mm]	354
Bulb Shape	Tubular
Bulb Diameter [mm]	103
Maximum Overall Length [mm]	560
Net weight per piece [g]	10400
Gross weight per piece [g]	10900
Brand	Tungsram
Cap/Base	G38

Performance data

Rated Lumens [lm]	800000	
Weighted energy consumption [kWh/1000h]	24000.0	
Energy efficiency class (EEC)	G	
Rated Life [h]	150	
Nominal correlated colour temperature (CCT) [K]] 3400		
Nominal lumens [lm]	800000	
Colour Rendering Index (CRI) [Ra]	100	

Electrical data

Coil typeC-13Dimming CapabilityYesBallast RequiredNoNominal power [W]24000Nominal lamp voltage [V]240	Rated power [W]	24000.0
Ballast Required No Nominal power [W] 24000	Coil type	C-13
Nominal power [W] 24000	Dimming Capability	Yes
· · · · · · · · · · · · · · · · · · ·	Ballast Required	No
Nominal lamp voltage [V] 240	Nominal power [W]	24000
	Nominal lamp voltage [V]	240



Single Ended Halogen Q24MT32/CL 240V 93106382

Logistic data

DUN Code	15994100012433
EAN Code	00000000000
Pack Quantity	1
Inner pack type	BOX
Outer pack type	OUTER BOX
Layer quantity	5 UK
Layer quantity UK	5
Pallet quantity EUR (PC)	1520
Pallet quantity UK (PC)	15
Outer case size	270 x 265 x 705 (mm)
Product status	Available

Downloads & Links

Go to the catalog site (HTTP)

High-res images / Technical drawings (HTTP)

Disclaimer

Special Purpose Lamp, Not suited for household illumination